

An invitation...

...to the

FEINTECHNIK

R.Rittmeyer GmbH

The program of our machines

- Stripping
 - with fixed knives
 - with rotating knives
- Stripping + twisting
- Printing
 - monochrome, one sided + and double sided
 - coloured, one sided + and double sided
- Tools
- Special applications
- Other machines in development

Stripping...

- with fixed knives

 - AM.STRIP.1

 - AM.STRIP.1 S

 - AM.STRIP.2

 - AM.STRIP.2 V

 - AM.STRIP.2 S

 - AM.STRIP.500/750/1000

 - AM.STRIP.015

 - ELMA.STRIP.020

- with rotating knives

 - AM.ALL.ROUND

 - AV.TWIST.15

Hot stamp printing

- PMG.PRINT.50 R (with printing wheels)
- PMG.PRINT.50 S (with printing stamps)
- PMG.MULTI.COLOUR (with up to 8 colours)

Tools

- **ROLL.UP.100**
 - (for winding of paper - stripes)
- **STRIP.CUT.30**
 - (for cutting of metal - stripes)

AM.STRIP.2, 2 V, 2/35

...our „classic“ for the rough industrial use with more than 5.000 machines worldwide!

AM.STRIP.2

Stripping length	up to 4,73“ full strip up to 17,7“ part strip (at max. cable-Ø of 0,65“)
Outer-Ø	0,04“ – 1“
Flat cables	up to 1,38“ width

AM.STRIP.2 V

Stripping length	up to 9,06“ full strip up to 21,66“ part strip
Outer-Ø	0,04“ – 1“

AM.STRIP.2/35

max. Outer-Ø	with sensor triggering 1,37“
Stripping length	up to 4,33“ full strip



AM.STRIP.1, 1/S

...and his small brother with more than 6.000 machines worldwide!

AM.STRIP.1

Stripping length

up to 2,56" full strip
up to 9,84" part strip
(at max. cable-Ø
of 0,59")

Outer-Ø

0,02" – 0,59"

Flat cables


up to 0,79" width

AM.STRIP.1 S

with sensor triggering

Stripping length


up to 2,17" full strip



AM.STRIP.500, 750, 1000

...our power machine for endless long stripping-jobs!

Stripping length	19,7"; 29,54" or 39,38" and more (depending of isolation)
Outer-Ø	0,04" – 1,19"
Flat cables	up to 1,26" width



AM.ALL.ROUND

...the rotation stripping machine, that cuts – nearly – all,
also wire meshes for example!

Stripping length 0,2" – 6,3" full strip
Outer - \varnothing 0,08" – 0,95"

AM.ALL.ROUND/400

Stripping length 0,2" – 6,3" full strip
 up to 15,74" part strip
 (up to 39,3" optinally)
Outer - \varnothing 0,08" – 0,95"

With sensor triggering



AV.TWIST.15

...high precision stripping- and twisting-machine

Stripping length 0,06" – 0,6"
Outer - \varnothing 0,03 mm² – 4 mm²
 (depends from
 isolation)



AM.STRIP.015

...ultrafast high-precision stripping machine,
also for difficult isolations

Stripping length	0,04" – 0,6"
Optional	up to 1,00"
Outer - \varnothing	up to 0,2"



ELMA.STRIP.020

...powerfull electrical stripping machine for single and multi core cable types up to bis 0.315" outer-diameter

outer - \varnothing	0.02" – 0.315"
flat cables	up to 0.4" width
in feed-length	0.55" + strip.-length
cycle time	< 0.8 sec.
start impulse	with sensor



PMG.PRINT.50/S + 50/R

...pneumatic hotprinting unit for „printing matters“ – on cables, flexes and tubes; with printing-stamps or -wheels

Printing width up to 3,55“

Optional up to 4,73“

As single machine or in line
with automatical stripping machines

Lots of special applications
available



PMG.MULTI.COLOUR

...for multi-coloured printing of your cables, flexes and tubes

- Replaceable cartridge system
- Monitoring of foils (optional)
- Resetting time < 1 min.
- Labelling with circular, bar and text codes possible
- Very short printing times (from 0.2 sec.) possible
- Cartridges are replaceable without exchange or removal of cables
- A lot of other advantages



ROLL.UP.100

...always good winded

Additional tool for the exact winding
of the paper-stripes of crimp-
processing

Winding width 0,04" – 2,37"
optional up to 2,96"



STRIP.CUT.30

...against stress with sheet metal

Additional tool for cutting and orderly
garbage of the sheet metal waste
of crimp-processing

