

An invitation...

...to the

FEINTECHNIK

R.Rittmeyer GmbH

The program of our machines

- Stripping
 - with fixed knives
 - with rotating knives
- Stripping + twisting
- Printing
 - monochrome, one sided + and double sided
 - coloured, one sided + and double sided
- Tools
- Special applications
- Other machines in development

Stripping...

- with fixed knives

AM.STRIP.1

AM.STRIP.1 S

AM.STRIP.2

AM.STRIP.2 V

AM.STRIP.2 S

AM.STRIP.500/750/1000

AM.STRIP.015

ELMA.STRIP.020

- with rotating knives

AM.ALL.ROUND

AV.TWIST.15

Hot stamp printing

- PMG.PRINT.50 R (with printing wheels)
- PMG.PRINT.50 S (with printing stamps)
- PMG.MULTI.COLOUR (with up to 8 colours)

Tools

- **ROLL.UP.100**
 - (for winding of paper - stripes)
- **STRIP.CUT.30**
 - (for cutting of metal - stripes)

AM.STRIP.2, 2V, 2/35

...our „classic“ for the rough industrial use with more than 5.000 machines worldwide!

AM.STRIP.2

Stripping length

up to 120 mm full strip
up to 450 mm part strip
(at max. cable- \varnothing
of 16,5 mm)

Outer- \varnothing

1,0 – 25 mm

Flat cables

up to 35 mm width

AM.STRIP.2 V

Stripping length

up to 230 mm full strip
up to 550 mm part strip

Outer- \varnothing

1,0 – 25 mm

AM.STRIP.2/35

Outer- \varnothing

with sensor triggering

Stripping length

up to 35 mm max.

up to 110 mm full strip



AM.STRIP.1, 1/S

...and his small brother with more than 6.000 machines worldwide!

AM.STRIP.1

Stripping length

up to 65 mm full strip
up to 250 mm part strip
(at max. cable- \varnothing
of 15 mm)

Outer- \varnothing

0,5 – 15 mm

Flat cables


up to 20 mm width

AM.STRIP.1 S

with sensor triggering

Stripping length

up to 55 mm full strip



AM.STRIP.500, 750, 1000

...our power machine for endless long stripping-jobs!

Stripping length	500, 750, 1000 mm and more
Outer-Ø	1,0 – 30 mm
Flat cables	up to 32 mm width



AM.ALL.ROUND

...the rotation stripping machine, that cuts – nearly – all,
also wire meshes for example!

Stripping length 5 - 160 mm full strip
Outer - \emptyset 2,0 – 24 mm

AM.ALL.ROUND/400

Stripping length 5 - 160 mm full strip
 up to 400 mm part strip
 (optionally up to 1.000mm)
Outer - \emptyset 2,0 – 24 mm

With sensor triggering



AV.TWIST.15

...high precision stripping- and twisting-machine

Stripping length 1,5 - 15 mm
Outer - \varnothing 0,03 mm² – 4 mm²
 (depends from
 isolation)



AM.STRIP.015

...ultrafast high-precision stripping machine,
also for difficult isolations

Stripping length	1 – 15 mm
Optional	up to 25 mm
Outer - \varnothing	0,5 – 5 mm



ELMA.STRIP.020

...powerfull electrical stripping machine for single and multi core cable types up to bis 8 mm outer-diameter

outer - \varnothing	0,5 – 8,0 mm
flat cables	up to 10,0 mm width
in feed-length	14,0 mm + strip.-length
cycle time	< 0.8 sec.
start impulse	with sensor



PMG.PRINT.50/S + 50/R

...pneumatic hotprinting unit for „printing matters“ – on cables, flexes and tubes; with printing-stamps or -wheels

Printing width up to 90 mm
Optional up to 120 mm

As single machine or in line
with automatical stripping machines

Lots of special applications
available



PMG.MULTI.COLOUR

...for multi-coloured printing of your cables, flexes and tubes

- Replaceable cartridge system
- Monitoring of foils (optional)
- Resetting time < 1 min.
- Labelling with circular, bar and text codes possible
- Very short printing times (from 0.2 sec.) possible
- Cartridges are replaceable without exchange or removal of cables
- A lot of other advantages



ROLL.UP.100

...always good winded

Additional tool for the exact winding
of the paper - stripes of
crimp - processing

Winding width 1 – 60 mm
optional up to 75 mm



STRIP.CUT.30

...against stress with sheet metal

Additional tool for cutting and orderly
garbage of the sheet metal
waste of crimp - processing

